

Oldham CCG Clusters 1-5 Health Profiles using National General Practices Profile and Quality Outcomes Framework 2017/18

CCG Cluster 5 (Central) Profile, February 2019

Cluster 5 (Central) Summary

CCG Cluster 5 average deprivation score (39.8) is far higher than Oldham CCG average (30.3). Failsworth Group Practice has the lowest score with 25.8 and The Chowdhury Practice the highest with 48.7.

Average life expectancy in males (75.2) is lower than the CCG average (77.1) while amongst females (81.6) in Cluster 5 life expectancy is similar to the Oldham average (80.9). Only Failsworth Group Practice have males (77.6) and females (81.0) with life expectancy above the respective CCG averages. Life expectancy data is not available for the following practices: Quayside Medical Practice, Hossain Practice and The Duru Practice.

Cluster 5 average prevalence is **HIGHER** than Oldham CCG average prevalence for the following health conditions: Diabetes.

Cluster 5 average prevalence is **SIMILAR** to Oldham CCG average prevalence for the following health conditions: Depression, Learning disabilities, Mental Health, Longstanding health conditions, Coronary heart disease, Hypertension, Asthma and COPD. Where Cluster 5 also had **similar** rates to the Oldham CCG average but potentially requiring further local interpretation were in relation to: Reporting cancer in the last 5 years; Females aged 25-64 years with a record of cervical screening (last 5 yrs); Females aged 50-70 years screened for breast cancer in last 36 months; Emergency hospital admissions for all causes (under 18 years) 2013/14-2015/16; and, A & E Attendance (under 18 years old) 2013/14-2015/16

Cluster 5 average prevalence is **LOWER** than Oldham CCG prevalence for the following health conditions: Dementia, Cancer, CKD, Stroke & TIA and Obesity. Where Cluster 5 also had **lower** rates than Oldham CCG average but may require further local interpretation were for: Persons aged 60-69 years screened for bowel cancer in last 30 months (2.5 year coverage)

		~ ~ ~ ~ PRACTICE SUMMARY (CLUSTER 5 (Central) GPs) ~ ~ ~ ~									
CCG Cluster	GP	GP code	2017-18 Practice List size (All ages)	Pop 0-4	Pop 5-14	Pop 15-64	Pop 65-84	Pop 85+	Deprivation Score	Life Expectancy - Male (2010-2014)	Life Expectancy - Female (2010-2014)
CCG Cluster 5 (Central)	THE CHOWDHURY PRACTICE	P85003	6,723	627	1,489	4287	285	35	48.7	74.5	79.9
	OLDHAM FAMILY PRACTICE	P85007	2,762	216	363	1711	403	69	39.3	75.7	80.0
	FAILSWORTH GROUP PRACTICE	P85008	12,852	601	1,392	8182	2353	324	25.8	77.6	81.0
	OLDHAM MEDICAL SERVICES	P85012	4,929	422	841	3139	462	65	43.7	74.3	78.1
	QUAYSIDE MEDICAL PRACTICE	P85026	5,918	362	684	3852	910	110	26.1	N/A	N/A
	JALAL PRACTICE	P85601	2,137	159	303	1390	252	33	44.3	74.8	79.6
	PERKINS PRACTICE	P85608	2,964	198	421	1967	346	32	47.2	74.4	79.4
	HOSSAIN PRACTICE	P85610	2,706	213	342	1838	284	29	31.3	N/A	N/A
	WERNETH MEDICAL PRACTICE	P85612	3,056	268	579	2028	160	21	44.0	74.3	78.5
	MOHANTY PRACTICE	P85613	1,195	72	181	854	77	11	41.8	76.0	79.8
	THE DURU PRACTICE	Y01124	4,031	296	625	2731	344	35	45.2	N/A	N/A
	Cluster 1 average		49,273	3,434	7,220	31,979	5,876	764	39.8	75.2	79.5
	Oldham CCG Average		256,632	17090	36532	163561	35071	4378	30.3	77.1	80.9
	England average		55,619,430						21.8	79.4	83.1

Lower than Oldham CCG average
Similar to Oldham CCG average
Higher than Oldham CCG average
Requires local interpretation

			~~~~~ HEALTH CONDITIONS ~~~~~																				
			Mental Health conditions				High dependency and other long term conditions				Cardio-vascular diseases			Respiratory diseases		Lifestyle	Cancer screening				Child health		
CCG Cluster	GP	GP code	Dementia prevalence (% all ages) 2017-18	Depression prevalence (% aged 18+) 2017-18	Learning disabilities prevalence (% all ages) 2017-18	Mental health prevalence (% all ages) 2017-18	Cancer prevalence (% all ages) 2017-18	Chronic Kidney Disease prevalence (% aged 18+) 2017-18	Diabetes mellitus prevalence (% aged 17+) 2017-18	Long standing health condition (% aged 16+) (2018)	Coronary Heart Disease Prevalence (% all ages) 2017-18	Hypertension Prevalence (% all ages) 2017-18	Stroke and TIA Prevalence (% all ages) 2017-18	Asthma Prevalence (% all ages) 2017-18	COPD Prevalence (% all ages) 2015-16	Obesity prevalence (% aged 18+) 2017-18	Reporting cancer in the last 5 years (% all ages) 2017-18	Females with a record of cervical screening (last 5 yrs) (% aged 25-64) 2017-18	Females (aged 50-70) screened for breast cancer in last 36 months (3 year coverage, %) 2017-18	Persons (aged 60-69) screened for bowel cancer in last 30 months (2.5 year coverage, %) 2017-18	Emergency hospital admissions for all causes (aged under 18 years) 2013/14-2015/16 (rate per 1000 pop)	A & E Attendance (aged under 18 years) 2015-16; 2013/14-2015/16 (rate per 1000 pop)	
CCG Cluster 5 (Central)	THE CHOWDHURY PRACTICE	P85003	0.21	4.84	0.40	0.98	0.57	1.47	12.68	44.30	1.40	8.54	0.74	5.38	0.89	5.86	1.50	73.20	56.36	38.90	102.1	361	
	OLDHAM FAMILY PRACTICE	P85007	0.58	10.38	0.94	1.05	2.39	4.00	9.35	60.80	4.13	16.94	2.14	4.89	2.46	11.04	3.80	62.20	71.53	54.41	131.1	460	
	FAILSWORTH GROUP PRACTICE	P85008	0.93	18.77	0.37	0.88	3.72	4.22	7.45	56.40	4.13	16.64	2.33	8.79	2.79	12.74	4.50	78.10	74.94	58.06	100.3	368	
	OLDHAM MEDICAL SERVICES	P85012	0.67	6.32	0.67	1.28	1.32	2.89	7.90	56.90	2.54	10.61	1.20	6.74	2.11	12.30	2.70	73.40	61.28	46.40	93.2	399	
	QUAYSIDE MEDICAL PRACTICE	P85026	0.91	12.14	0.24	0.71	2.77	4.17	6.73	59.90	3.12	17.03	1.94	7.10	3.31	13.06	4.90	82.50	76.67	57.37	107.7	422	
	JALAL PRACTICE	P85601	0.80	9.10	0.56	0.98	1.68	2.45	8.09	48.50	2.90	12.49	2.29	6.93	2.99	12.17	3.10	73.70	66.82	43.41	130.6	448	
	PERKINS PRACTICE	P85608	0.40	22.18	1.15	0.94	2.06	5.38	8.16	59.10	3.14	13.29	1.52	8.47	4.25	13.08	0.60	73.60	72.10	59.72	90.7	436	
	HOSSAIN PRACTICE	P85610	0.48	8.16	0.52	1.00	1.44	1.99	6.93	47.60	2.37	13.08	1.44	5.80	1.77	14.27	1.80	79.10	71.96	56.70	107.8	446	
	WERNETH MEDICAL PRACTICE	P85612	0.56	9.85	0.98	1.44	0.79	5.12	15.57	32.20	2.88	11.68	1.08	7.49	1.24	8.57	2.20	56.60	47.60	36.81	105.0	428	
	MOHANTY PRACTICE	P85613	0.17	9.97	0.50	0.59	1.17	2.24	10.64	40.90	2.59	10.46	1.34	12.64	1.76	5.94	2.70	65.90	45.14	39.36	85.0	320	
	THE DURU PRACTICE	Y01124	0.50	8.57	0.62	0.94	1.19	1.75	7.90	44.20	2.46	12.30	0.77	6.87	2.11	9.07	2.20	59.90	61.92	53.41	76.8	398	
	Cluster 5 average			0.6	10.9	0.6	1.0	1.7	3.2	9.2	50.1	2.9	13.0	1.5	7.4	2.3	10.7	2.7	70.7	64.2	49.5	102.8	408
	Oldham CCG Average			0.7	11.1	0.6	1.0	2.4	3.7	8.2	52.8	3.2	13.7	1.8	6.7	2.3	12.5	2.8	75.1	70.8	57.7	100.3	396
England average			0.8	9.9	0.5	0.9	2.7	4.1	6.8	51.4	3.1	13.9	1.8	5.9	1.9	9.8	3.2	75.2	72.1	57.3	70.1	386	

Lower than Oldham CCG average
Similar to Oldham CCG average
Higher than Oldham CCG average
Requires local interpretation

### Summary of health conditions in each GP within Cluster 5 (Central)

**THE CHOWDHURY PRACTICE** has **HIGHER** prevalence than Oldham CCG average for the following health condition: Diabetes (1.5 times CCG average) ~ ~ **LOWER** prevalence of: Dementia (less than one-third CCG average), Depression (less than half CCG average), Learning disabilities (two-thirds CCG average), Cancer (one-third CCG average), CKD (less than half CCG average), Longstanding health conditions, Coronary heart disease (less than half CCG average), Hypertension, Stroke & TIA (less than half CCG average), Asthma, COPD (less than half CCG average) and Obesity (less than half CCG average) ~ ~ Also **LOWER** but potentially requiring further local interpretation were: Reporting cancer in the last 5 years; Females aged 50-70 years screened for breast cancer in last 36 months (3 year coverage); and, Persons aged 60-69 years screened for bowel cancer in last 30 months (2.5 year coverage).

**OLDHAM FAMILY PRACTICE** has **HIGHER** prevalence than Oldham CCG average for the following health conditions: Learning disabilities (1.5 times CCG average), Diabetes, Longstanding health conditions, Coronary heart disease, Hypertension and Stroke & TIA ~ ~ Also **HIGHER** but potentially requiring further local interpretation were: Reporting cancer in the last 5 years; Emergency hospital admissions for all causes (aged under 18 years); and, A&E attendance (aged under 18 years) ~ ~ **LOWER** prevalence of: Dementia, Asthma and Obesity ~ ~ Also **LOWER** but potentially requiring further local interpretation were: Females aged 25-64 years with a record of cervical screening (last 5 years).

**FAILSWORTH GROUP PRACTICE** has **HIGHER** prevalence than Oldham CCG average for the following health conditions: Dementia, Depression (approaching double CCG average), Cancer (approaching double CCG average), CKD, Longstanding health conditions, Coronary heart disease, Hypertension, Stroke & TIA, Asthma and COPD ~ ~ Also **HIGHER** but potentially requiring further local interpretation were: Reporting cancer in the last 5 years (approaching double CCG average) ~ ~ **LOWER** prevalence of: Learning disabilities and Mental Health.

**OLDHAM MEDICAL SERVICES** has **HIGHER** prevalence than Oldham CCG average for the following health condition: Learning disabilities and Mental Health ~ ~ **LOWER** prevalence of: Depression (approaching half CCG average), Cancer (approaching half CCG average), CKD, Coronary heart disease, Hypertension and Stroke & TIA (two-thirds CCG average) ~ ~ Also **LOWER** but potentially requiring further local interpretation were: Females aged 50-70 years screened for breast cancer in last 36 months; and, Persons aged 60-69 years screened for bowel cancer in last 30 months (2.5 year coverage).

**QUAYSIDE MEDICAL PRACTICE** has **HIGHER** prevalence than Oldham CCG average for the following health conditions: Dementia, Cancer, CKD, Longstanding health conditions, Hypertension and COPD ~ ~ Also **HIGHER** but potentially requiring further local interpretation were: Reporting cancer in the last 5 years (approaching double CCG average) ~ ~ **LOWER** prevalence of: Learning disabilities (less than half CCG average), Mental Health and Diabetes.

**JALAL PRACTICE** has **HIGHER** prevalence than Oldham CCG average for the following health conditions: Dementia, Stroke & TIA and COPD ~ ~ Also **HIGHER** but potentially requiring further local interpretation were: Reporting cancer in the last 5 years; Emergency hospital admissions for all causes (aged under 18 years) (30% greater than the CCG average) ~ ~ **LOWER** prevalence of: Depression, Cancer and CKD (two-thirds CCG average) ~ ~ Also **LOWER** but potentially requiring further local interpretation were: Persons aged 60-69 years screened for bowel cancer in last 30 months.

**PERKINS PRACTICE** has **HIGHER** prevalence than Oldham CCG average for the following health conditions: Depression (double CCG average), Learning disabilities (more than double CCG average), CKD (1.5 times CCG average), Longstanding health conditions, Asthma and COPD (almost double CCG average) ~ ~ **LOWER** prevalence of: Dementia (approaching half CCG average), Cancer and Stroke & TIA ~ ~ Also **LOWER** but potentially requiring further local interpretation were: Reporting cancer in the last 5 years (one-quarter CCG average).

**HOSSAIN PRACTICE** has **HIGHER** prevalence than Oldham CCG average for the following health condition: Obesity ~ ~ **LOWER** prevalence of: Dementia (two-thirds CCG average), Depression, Learning disabilities, Cancer (approaching half CCG average), CKD (approaching half CCG average), Longstanding health conditions, Coronary heart disease, Stroke & TIA, Asthma and COPD.

**WERNETH MEDICAL PRACTICE** has **HIGHER** prevalence than Oldham CCG average for the following health conditions: Learning disabilities (more than 1.5 times CCG average), Mental Health (almost 1.5 times CCG average), CKD, Diabetes (almost double CCG average) and Asthma ~ ~ **LOWER** prevalence of: Dementia, Depression, Cancer (one-third CCG average), Longstanding health conditions, Hypertension, Stroke & TIA (approaching half CCG average) and COPD (approaching half CCG average) and Obesity ~ ~ Also **LOWER** but potentially requiring further local interpretation were: Females aged 25-64 years with record of cervical screening in last 5 years (three-quarters CCG average); Females aged 50-70 years screened for breast cancer in last 36 months (3 year coverage) (two-thirds CCG average); and, Persons aged 60-69 years screened for bowel cancer in last 30 months (2.5 year coverage) (two-thirds CCG average).

**MOHANTY PRACTICE** has **HIGHER** prevalence than Oldham CCG average for the following health conditions: Diabetes and Asthma (approaching double CCG average) ~ ~ **LOWER** prevalence of: Dementia (one-quarter CCG average), Learning disabilities, Mental Health, Cancer (half CCG average), CKD (two-thirds CCG average), Longstanding health conditions, Coronary Heart Disease, Hypertension, Stroke & TIA, COPD and Obesity (half CCG average) ~ ~ Also **LOWER** but potentially requiring further local interpretation were: Females aged 50-70 years screened for breast cancer in last 36 months (3 year coverage) (two-thirds CCG average); Persons aged 60-69 years screened for bowel cancer in last 30 months (2.5 year coverage) (two-thirds CCG average); and, A&E Attendance (aged under 18 years).

**THE DURU PRACTICE** has **LOWER** prevalence of: Dementia (less than three-quarters CCG average), Depression, Cancer, CKD (half CCG average), Coronary heart disease, Stroke & TIA (less than half CCG average) and Obesity (three-quarters CCG average) ~ ~ Also **LOWER** but potentially requiring further local interpretation were: Females aged 25-64 years with a record of cervical screening (last 5 years); and, Females aged 50-70 years screened for breast cancer in last 36 months (3 year coverage).